Contents to volume 268

Review Letter

Posttranslational attenuation of peptide gene expression (FEBS 08681) *J.F. Rehfeld* 1

Hypothesis

RNA sequence and the nature of the Cu_A-binding site in cytochrome *c* oxidase (FEBS 08614) *P.S. Covello, M.W. Gray* 5

Research Letters

The nature of the primer for glycogen synthesis in muscle (FEBS 08642) *J. Lomako, W.M. Lomako, W.J. Whelan* 8

Exercise training increases glucose transporter protein GLUT-4 in skeletal muscle of obese Zucker (*fa/fa*) rats (FEBS 08611) *J.E. Friedman, W.M. Sherman, M.J. Reed, C.W. Elton, G.L. Dohm* 13

Grapevine stilbene synthase cDNA only slightly differing from chalcone synthase cDNA is expressed in *Escherichia coli* into a catalytically active enzyme (FEBS 08616) *F. Melchior, H. Kindl* 17

The effect of amino acid substitutions at position 342 on the secretion of human α_1-antitrypsin from *Xenopus* oocytes (FEBS 08624) *Y. Wu, R.C. Foreman* 21

Expression of phosphoglycerate mutase mRNA in differentiating rat satellite cell cultures (FEBS 08625) *J. Castellà-Escolà, J. Ureña, J. Alterio, J. Carreras, I. Martelly, F. Climent* 24

Molecular cloning and sequence determination of four different cDNA species coding for α-subunits of G proteins from *Xenopus laevis* oocytes (FEBS 08626) *J. Olate, S. Martinez, P. Purcell, H. Jorquera, J. Codina, L. Birnbaumer, Jorge E. Allende* 27

Accumulation of ornithine decarboxylase mRNA accompanies activation of human and mouse monocytes/macrophages (FEBS 08630) *L. Messina, A. Arcidiacono, G. Spampinato, L. Malaguarnera, G. Berton, Leszek Kaczmarek, A. Messina* 32

Sub-site preferences of the aspartic proteinase from the human immunodeficiency virus, HIV-1 (FEBS 08631) *J. Konvalinka, P. Strop, J. Velek, V. Cerna, V. Kostka, L.H. Phylip, A.D. Richards, B.M. Dunn, J. Kay* 35

A novel TIMP-insensitive type IV collagen-degrading metalloproteinase from murine metastatic sarcoma cells (FEBS 08649) *Y. Kato, K. Ogawa, S. Yamamoto, S. Abe, J. Kishi, T. Hayakawa* 39

Dual regulation by G proteins of agonist-dependent phosphorylation of muscarinic acetylcholine receptors (FEBS 08650) *K. Haga, T. Haga* 43

Crystallization and preliminary X-ray analysis of a peridinin-chlorophyll *a* protein from *Amphidinium carterae* (FEBS 08658) *K. Steck, T. Wacker, W. Welte, F.P. Sharples, R.G. Hiller* 48

Human HLA-DRα gene: a rare oligonucleotide (GTATA) identifies an upstream sequence required for nuclear protein binding (FEBS 08657) *R. Barbieri, P. Giacomini, S. Volinia, C. Nastruzzi, A.M. Mileo, U. Ferrini, M. Soria, I. Barrai, P.G. Natali, R. Gambari* 51

The petFI gene encoding ferredoxin I is located close to the str operon on the cyanelle genome of *Cyanophora paradoxa* (FEBS 08659) *C. Neumann-Spallart, M. Brandtner, M. Kraus, J. Jakowitsch, M.G. Bayer, T.L. Maier, H.E.A. Schenk, W. Löffelhardt* 55

Single step purification of methylenetetrahydromethanopterin reductase from *Methanobacterium thermoautotrophicum* by specific binding to Blue Sepharose CL-6B (FEBS 08660) *K. Ma, R.K. Thauer* 59

Molecular cloning and functional expression of a potassium channel cDNA isolated from a rat cardiac library (FEBS 08661) *J.C.L. Tseng-Crank, Gea-Ny Tseng, A. Schwartz, Schwartz,, M.A. Tanouye* 63

Hydrogen peroxide production during experimental protein glycation (FEBS 08667) *Z.-Y. Jiang, A.C.S. Woollard and S.P. Wolff* 69

Degradation of crystallins from a psoriatic patient undergoing PUVA therapy (FEBS 08676) *T. Sa e Melo, J. Cirne de Castro, L. Ribeiro, J. Conte, D. Lawrence, M.B. andR. Santus* 72

Rapid and reversible changes in myosin heavy chain expression in response to increased neuromuscular activity of rat fast-twitch muscle (FEBS 08677) *B.J. Kirschbaum, S. Schneider, S. Izumo, V. Mahdavi, B.D.P. Nadal-Ginard, D. Pete* 75

Flufenamic acid, mefenamic acid and niflumic acid inhibit single nonselective cation channels in the rat exocrine pancreas (FEBS 08679) *H. Gögelein, D. Dahlem, H.C. Englert, H.J. Lang* 79

Coexistence of different forms of Na,K-ATPase in two-dimensional membrane crystals (FEBS 08682) *H. Hebert, E. Skriver, U. Kavéus, A.B. Maunsbach* 83

The cholecystokinin gene is abundantly co-expressed with gastrin-releasing peptide, enkephalin and neuropeptide Y genes in a clonal human neuroepithelioma cell line (FEBS 08627) *M.A.E. Verbeeck, J.P.H. Burbach* 88

G Protein control of inositol lipids in intact vascular smooth muscle (FEBS 08628) *E.F. LaBelle, B.M. Murray* 91

3-Azido-L-tyrosine as a photoinhibitor of tubulin:tyrosine ligase: Role of thiol groups (FEBS 08629) *K. Coudijzer, M. Joniau* 95

Processing of yeast exoglucanase (β-glucosidase) in a KEX2-dependent manner (FEBS 08643) *R.D. Basco, G. Giménez-Gallego, G. Larriba* 99

Estimation of adenosine triphosphate utilization of rat mast cells during and after anaphylactic histamine secretion (FEBS 08645) *T. Johansen* 103

Involvement of external calcium in the release of arachidonic acid by mouse peritoneal macrophages (FEBS 08647) *B. Fernández, J. Balsinde* 107

Ceramidase activity in porcine epidermis (FEBS 08648) *P.W. Wertz, D.T. Downing* 110

Exacerbation of rat adjuvant arthritis by intradermal injection of purified mammalian 14-kDa group II phospholipase A_2 (FEBS 08651) *M. Murakami, I. Kudo, H. Nakamura, Y. Yokoyama, H. Mori, K. Inoue* 113

A NMR study of mobility in the histone octamer (FEBS 08652) *G.P. Schroth[1], P. Yau[1], B.S. Imai[2], J.M. Gatewood[2], E.M. Bradbury[1,2]* 117

Epidermal growth factor induces tyrosine phosphorylation of epidermal growth factor receptors not occupied with ligand in intact A431 cells (FEBS 08653) *A.B. Sorokin, G.F. Reshetnikova, N.V. Kudryavtseva, N.N. Nikolsky* 121

Tissue inhibitor of metalloproteinases from human bone marrow stromal cell line KM 102 has erythroid-potentiating activity, suggesting its possibly bifunctional role in the hematopoietic microenvironment (FEBS 08683) *T. Hayakawa, K. Yamashita, J. Kishi, K. Harigaya* 125

The epidermolytic toxins are serine proteases (FEBS 08684) *S.J. Dancer, R. Garratt, J. Saldanha, H. Jhoti, R. Evans* 129

3,4-Dichloroisocoumarin, a serine protease inhibitor, inactivates glycogen phosphorylase *b* (FEBS 08685) *N.M. Rusbridge, R.J. Beynon* 133

Published by Elsevier Science Publishers B.V. (Biomedical Division)
00145793/90/$3.50 © 1990 Federation of European Biochemical Societies

Contents to volume 268

Review Letter

Posttranslational attenuation of peptide gene expression (FEBS 08681) *J.F. Rehfeld* 1

Hypothesis

RNA sequence and the nature of the Cu_A-binding site in cytochrome *c* oxidase (FEBS 08614) *P.S. Covello, M.W. Gray* 5

Research Letters

The nature of the primer for glycogen synthesis in muscle (FEBS 08642) *J. Lomako, W.M. Lomako, W.J. Whelan* 8

Exercise training increases glucose transporter protein GLUT-4 in skeletal muscle of obese Zucker (*fa/fa*) rats (FEBS 08611) *J.E. Friedman, W.M. Sherman, M.J. Reed, C.W. Elton, G.L. Dohm* 13

Grapevine stilbene synthase cDNA only slightly differing from chalcone synthase cDNA is expressed in *Escherichia coli* into a catalytically active enzyme (FEBS 08616) *F. Melchior, H. Kindl* 17

The effect of amino acid substitutions at position 342 on the secretion of human α_1-antitrypsin from *Xenopus* oocytes (FEBS 08624) *Y. Wu, R.C. Foreman* 21

Expression of phosphoglycerate mutase mRNA in differentiating rat satellite cell cultures (FEBS 08625) *J. Castellà-Escolà, J. Ureña, J. Alterio, J. Carreras, I. Martelly, F. Climent* 24

Molecular cloning and sequence determination of four different cDNA species coding for α-subunits of G proteins from *Xenopus laevis* oocytes (FEBS 08626) *J. Olate, S. Martinez, P. Purcell, H. Jorquera, J. Codina, L. Birnbaumer, Jorge E. Allende* 27

Accumulation of ornithine decarboxylase mRNA accompanies activation of human and mouse monocytes/macrophages (FEBS 08630) *L. Messina, A. Arcidiacono, G. Spampinato, L. Malaguarnera, G. Berton, Leszek Kaczmarek, A. Messina* 32

Sub-site preferences of the aspartic proteinase from the human immunodeficiency virus, HIV-1 (FEBS 08631) *J. Konvalinka, P. Strop, J. Velek, V. Cerna, V. Kostka, L.H. Phylip, A.D. Richards, B.M. Dunn, J. Kay* 35

A novel TIMP-insensitive type IV collagen-degrading metalloproteinase from murine metastatic sarcoma cells (FEBS 08649) *Y. Kato, K. Ogawa, S. Yamamoto, S. Abe, J. Kishi, T. Hayakawa* 39

Dual regulation by G proteins of agonist-dependent phosphorylation of muscarinic acetylcholine receptors (FEBS 08650) *K. Haga, T. Haga* 43

Crystallization and preliminary X-ray analysis of a peridinin-chlorophyll *a* protein from *Amphidinium carterae* (FEBS 08658) *K. Steck, T. Wacker, W. Welte, F.P. Sharples, R.G. Hiller* 48

Human HLA-DRα gene: a rare oligonucleotide (GTATA) identifies an upstream sequence required for nuclear protein binding (FEBS 08657) *R. Barbieri, P. Giacomini, S. Volinia, C. Nastruzzi, A.M. Mileo, U. Ferrini, M. Soria, I. Barrai, P.G. Natali, R. Gambari* 51

The petFI gene encoding ferredoxin I is located close to the str operon on the cyanelle genome of *Cyanophora paradoxa* (FEBS 08659) *C. Neumann-Spallart, M. Brandtner, M. Kraus, J. Jakowitsch, M.G. Bayer, T.L. Maier, H.E.A. Schenk, W. Löffelhardt* 55

Single step purification of methylenetetrahydromethanopterin reductase from *Methanobacterium thermoautotrophicum* by specific binding to Blue Sepharose CL-6B (FEBS 08660) *K. Ma, R.K. Thauer* 59

Molecular cloning and functional expression of a potassium channel cDNA isolated from a rat cardiac library (FEBS 08661) *J.C.L. Tseng-Crank, Gea-Ny Tseng, A. Schwartz, Schwartz,, M.A. Tanouye* 63

Hydrogen peroxide production during experimental protein glycation (FEBS 08667) *Z.-Y. Jiang, A.C.S. Woollard and S.P. Wolff* 69

Degradation of crystallins from a psoriatic patient undergoing PUVA therapy (FEBS 08676) *T. Sa e Melo, J. Cirne de Castro, L. Ribeiro, J. Conte, D. Lawrence, M.B. andR. Santus* 72

Rapid and reversible changes in myosin heavy chain expression in response to increased neuromuscular activity of rat fast-twitch muscle (FEBS 08677) *B.J. Kirschbaum, S. Schneider, S. Izumo, V. Mahdavi, B.D.P. Nadal-Ginard, D. Pete* 75

Flufenamic acid, mefenamic acid and niflumic acid inhibit single nonselective cation channels in the rat exocrine pancreas (FEBS 08679) *H. Gögelein, D. Dahlem, H.C. Englert, H.J. Lang* 79

Coexistence of different forms of Na,K-ATPase in two-dimensional membrane crystals (FEBS 08682) *H. Hebert, E. Skriver, U. Kavéus, A.B. Maunsbach* 83

The cholecystokinin gene is abundantly co-expressed with gastrin-releasing peptide, enkephalin and neuropeptide Y genes in a clonal human neuroepithelioma cell line (FEBS 08627) *M.A.E. Verbeeck, J.P.H. Burbach* 88

G Protein control of inositol lipids in intact vascular smooth muscle (FEBS 08628) *E.F. LaBelle, B.M. Murray* 91

3-Azido-L-tyrosine as a photoinhibitor of tubulin:tyrosine ligase: Role of thiol groups (FEBS 08629) *K. Coudijzer, M. Joniau* 95

Processing of yeast exoglucanase (β-glucosidase) in a KEX2-dependent manner (FEBS 08643) *R.D. Basco, G. Giménez-Gallego, G. Larriba* 99

Estimation of adenosine triphosphate utilization of rat mast cells during and after anaphylactic histamine secretion (FEBS 08645) *T. Johansen* 103

Involvement of external calcium in the release of arachidonic acid by mouse peritoneal macrophages (FEBS 08647) *B. Fernández, J. Balsinde* 107

Ceramidase activity in porcine epidermis (FEBS 08648) *P.W. Wertz, D.T. Downing* 110

Exacerbation of rat adjuvant arthritis by intradermal injection of purified mammalian 14-kDa group II phospholipase A_2 (FEBS 08651) *M. Murakami, I. Kudo, H. Nakamura, Y. Yokoyama, H. Mori, K. Inoue* 113

A NMR study of mobility in the histone octamer (FEBS 08652) *G.P. Schroth[1], P. Yau[1], B.S. Imai[2], J.M. Gatewood[2], E.M. Bradbury[1,2]* 117

Epidermal growth factor induces tyrosine phosphorylation of epidermal growth factor receptors not occupied with ligand in intact A431 cells (FEBS 08653) *A.B. Sorokin, G.F. Reshetnikova, N.V. Kudryavtseva, N.N. Nikolsky* 121

Tissue inhibitor of metalloproteinases from human bone marrow stromal cell line KM 102 has erythroid-potentiating activity, suggesting its possibly bifunctional role in the hematopoietic microenvironment (FEBS 08683) *T. Hayakawa, K. Yamashita, J. Kishi, K. Harigaya* 125

The epidermolytic toxins are serine proteases (FEBS 08684) *S.J. Dancer, R. Garratt, J. Saldanha, H. Jhoti, R. Evans* 129

3,4-Dichloroisocoumarin, a serine protease inhibitor, inactivates glycogen phosphorylase *b* (FEBS 08685) *N.M. Rusbridge, R.J. Beynon* 133

Published by Elsevier Science Publishers B.V. (Biomedical Division)
00145793/90/$3.50 © 1990 Federation of European Biochemical Societies

Molecular cloning and sequence analysis of cDNA encoding human cholesterol 7α-hydroxylase (FEBS 08686) *M. Noshiro, K. Okuda* 137

^{1}H NMR assignments of sidechain conformations in proteins using a high-dimensional potential in the simulated annealing calculations (FEBS 08656) *J. Habazettl, C. Cieslar, H. Oschkinat, T.A. Holak* 141

Inactivation of thioredoxin by sulfite ions (FEBS 08687) *M. Würfel, I. Häberlein, H. Follmann* 146

Endothelin stimulates hypertrophy and contractility of neonatal rat cardiac myocytes in a serum-free medium (FEBS 08690) *T. Suzuki, H. Hoshi, Y. Mitsui* 149

Voltage-dependent pump currents of the sarcoplasmic reticulum Ca^2+-ATPase in planar lipid membranes (FEBS 08694) *A. Eisenrauch, E. Bamberg* 152

Examination of the role of serine phosphorylation in phospholipase C-γ and its related P47 in cAMP-mediated depression of epidermal growth factor receptor signal transduction (FEBS 08691) *K. Mitsui, S. Iwashita* 157

Superinduction of ornithine decarboxylase (ODC) by actinomycin D is due to stimulation of ODC mRNA translation (FEBS 08693) *U.M. Wallon, L. Persson, O. Heby* 161

Do thin filaments of smooth muscle contain calponin?: A new method for the preparation (FEBS 08654) *W. Nishida, M. Abe, K. Takahashi, K. Hiwada* 165

Phosphorylation control by insulin in adipocytes is interfered with at a post-receptor step by phosphoinositol and glucosamine (FEBS 08666) *P. Strålfors, S. Alemany* 169

Enhanced synthesis of heat shock proteins and augmented thermotolerance after induction of differentiation in HL-60 human leukemia cells (FEBS 08668) *Y. Yufu, J. Nishimura, H. Ideguchi, H. Nawata* 173

Rhodopsin reconstitution in bleached rod outer segment membranes in the presence of a retinal-binding protein from the honeybee (FEBS 08655) *I.M. Pepe, C. Cugnoli, J. Schwemer* 177

Modified reaction centers from *Rhodobacter sphaeroides* R26.: 2: Bacteriochlorophylls with modified C-3 substituents at sites B_A and B_B (FEBS 08680) *A. Struck[1], E. Cmiel[2], I. Katheder[1], H. Scheer[1]* 180

Involvement of activator protein in the activation of tryptophan hydroxylase by cAMP-dependent protein kinase (FEBS 08688) *Y. Makita, S. Okuno, H. Fujisawa* 185

Localization of aldolase C mRNA in brain cells (FEBS 08689) *T. Popovici, Y. Berwald-Netter, M. Vibert, A. Kahn, H. Skala* 189

High-affinity inositol 1,3,4,5-tetrakisphosphate receptor from cerebellum: solubilization, partial purification and characterization (FEBS 08696) *F. Donié, E. Hülser, G. Reiser* 194

Phosphotyrosine-containing proteins in *Dictyostelium discoideum* (FEBS 08695) *A. Schweiger, O. Mihalache, A. Muhr, I. Adrian* 199

Activity and gene expression of transglutaminase in guinea pig liver during the postnatal growing phase (FEBS 08697) *K. Ikura, N. Suto, R. Sasaki* 203

Degradation of type I and II collagen by human $C\bar{1}s$ (FEBS 08698) *K. Yamaguchi, H. Sakiyama, M. Matsumoto, H. Moriya, S. Sakiyama* 206

Expression of scinderin, an actin filament-severing protein, in different tissues (FEBS 08699) *L. Tchakarov, M. -L. Vitale, M. Jeyapragasan, A. Rodriguez Del Castillo, J. -M. Trifaró* 209

The environments of Trp-248 and Trp-330 in tryptophan indolelyase from *Escherichia coli* (FEBS 08700) *R.S. Phillips, P. Gollnick* 213

Human chorionic gonadotropin α and human cytomegalovirus promoters are extremely active in the fission yeast *Schizosaccharomyces pombe* (FEBS 08701) *R. Toyama, H. Okayama* 217

The apparent molecular size of native α-crystallin B in non-lenticular tissues (FEBS 08702) *R. Chiesa, M.J. McDermott, E. Mann, A. Spector* 222

Arachidonic acid epoxygenase: Stereochemical analysis of the endogenous epoxyeicosatrienoic acids of human kidney cortex (FEBS 08703) *A. Karara, E. Dishman, H. Jacobson, J.R. Falck, J.H. Capdevila* 227

Related domains in yeast tRNA ligase, bacteriophage T4 polynucleotide kinase and RNA ligase, and mammalian myelin 2′,3′-cyclic nucleotide phosphohydrolase revealed by amino acid squence comparison (FEBS 08705) *E.V. Koonin, A.E. Gorbalenya* 231

Amphipathic polyethyleneglycols effectively prolong the circulation time of liposomes (FEBS 08706) *A.L. Klibanov, K. Maruyama, V.P. Torchilin, L. Huang* 235

Fixation of a highly reactive form of α-chymotrypsin by micellar matrix (FEBS 08704) *A.V. Levashov, N.L. Klyachko, N.G. Bogdanova, K. Martinek* 238

The effect of adenosine on the fluorescence responses of chlorotetracycline-loaded human polymorphonuclear leukocytes (FEBS 08707) *S. Tsuruta, S. Ito, H. Mikawa* 241

Amino acid sequence of pheromone-inducible surface protein in *Enterococcus faecalis*, that is encoded on the conjugative plasmid pPD1 (FEBS 08644) *J. Nakayama, H. Nagasawa, A. Isogai, D.B. Clewell, A. Suzuki* 245

The complete amino acid sequence of bullfrog (*Rana catesbeiana*) parvalbumin pI4.97 (FEBS 08646) *T. Sasaki, M. Tanokura, K. Asaoka* 249

RNA editing of ATPase subunit 9 transcripts in *Oenothera* mitochondria (FEBS 08663) *W. Schuster, A. Brennicke* 252

N-Furfurylformamide as a pseudo-substrate for formylmethanofuran converting enzymes from methanogenic bacteria (FEBS 08662) *J. Breitung, G. Börner, M. Karrasch, A. Berkessel, R.K. Thauer* 257

Inhibition of development of Na-dependent hexose transport in renal epithelial LLC-PK1 cells by differentiation-stimulating factor for myeloid leukemic cells/leukemia inhibitory factor (FEBS 08665) *M. Tomida, Y. Yamamoto-Yamaguchi, M. Hozumi, W. Holmes, D.G. Lowe, D.V. Goeddel* 261

Identification of a 66 KDa protein associated with yeast mitochondrial ATP synthase as heat shock protein hsp60 (FEBS 08670) *R.E. Gray, D.G. Grasso, R.J. Maxwell, P.M. Finnegan, P. Nagley, R.J. Devenish* 265

NADPH:O_2 oxidoreductase of human eosinophils in the cell-free system (FEBS 08672) *B.G.J.M. Bolscher, L. Koenderman, A.T.J. Tool, P.M. Stokman, D. Roos* 269

Multifrequency EPR evidence for a bimetallic center at the Cu_A site in cytochrome *c* oxidase (FEBS 08673) *P.M.H. Kroneck, W.E. Antholine, D.H.W. Kastrau, G. Buse, G.C.M. Steffens, W.G. Zumft* 274

A novel magnesium-dependent mechanism for the activation of transducin by fluoride (FEBS 08674) *B. Antonny, J. Bigay, M. Chabre* 277

The primary structure of the *Lotus tetragonolobus* seed lectin (FEBS 08675) *Y. Konami, K. Yamamoto, T. Osawa* 281

Amino acid sequence of the Ca^2-triggered luciferin binding protein of *Renilla reniformis* (FEBS 08709) *S. Kumar, M. Harrylock, K.A. Walsh, M.J. Cormier, H. Charbonneau* 287

Purification and internal amino acid sequence of the 80 kDa protein kinase C substrate from Swiss 3T3 fibroblasts: Homology with substrates from brain (FEBS 08708) *S.F. Brooks, J.D. Erusalimsky, N.F. Totty, E. Rozengurt* 291

Norepinephrine-induced synthesis of the uncoupling protein thermogenin (UCP) and its mitochondrial targeting in brown adipocytes differentiated in culture (FEBS 08664) *D. Herron, S. Rehnmark, M. Néchad, D. Lončar, B. Cannon, J. Nedergaard* 296

Expression and characterization of human lamin C (FEBS 08671) *R.D. Moir, R.A. Quinlan, M. Stewart* 301

Errata and Corrigenda 306

Notes to Authors 307

EDITORIAL 311

Fourth Datta Lecture

The energy coupled exchange of Na^+ for K^+ across the cell membrane. The Na^+,K^+-pump (FEBS 08456) *J.C. Skou* 314

Minireviews

Eukaryotic DNA helicases (FEBS 08599) *P. Thömmes, U. Hübscher* 325

Eukaryotic DNA methylation: facts and problems (FEBS 08637) *W. Doerfler, M. Toth, S. Kochanek, S. Achten, U. Freisem-Rabien, A. Behn-Krappa, G. Orend* 329

Gene expression during tuber development in potato plants (FEBS 08640) *S. Prat, W.B. Frommer, R. Höfgen, M. Keil, J. Koßmann, M. Köster-Töpfer, X. -J. Liu, B. Müller, H. Peña-Cortés, M. Rocha-Sosa, J.J. Sánchez-Serrano, U. Sonnewald, L. Willmitzer* 334

Do thin filaments of smooth muscle contain calponin?: A new method for the preparation (FEBS 08634) *W. Nishida, M. Abe, K. Takahashi, K. Hiwada* 339

Proteins under extreme physical conditions (FEBS 08601) *R. Jaenicke, P. Závodszky* 344

Protein kinase C in transmembrane signalling (FEBS 08603) *A. Farago, Ya. Nishizuka* 350

Protein serine/threonine phosphatases; an expanding family (FEBS 08638) *P.T.W. Cohen, N.D. Brewis, V. Hughes, D.J. Mann* 355

Enzyme-enzyme interactions and their metabolic role (FEBS 08548) *P.A. Srere, J. Ovadi* 360

Emerging views on the structure and dynamics of the Ca^{2+}-ATPase in sarcoplasmic reticulum (FEBS 08602) *A.N. Martonosi, I. Jona, E. Molnar, N.W. Seidler, R. Buchet, S. Varga* 365

Lipid-protein interactions in membranes (FEBS 08587) *D. Marsh* 371

Protein kinase C in insulin releasing cells: Putative role in stimulus secretion coupling (FEBS 08669) *C.B. Wollheim, R. Regazzi* 376

Receptor-mediated calcium entry (FEBS 08358) *T.J. Rink* 381

Extracellular matrix (FEBS 08641) *J. Labat-Robert, M. Bihari-Varga, L. Robert* 386

Neurotransmitter release (FEBS 08586) *H. Zimmermann* 394

The signal transduction induced by thrombin in human platelets (FEBS 08636) *E.G. Lapetina* 400

Antibiotics – cloning of biosynthetic pathways (FEBS 08633) *H. Kleinkauf, H. von Döhren* 405

Insertion and translocation of proteins into and through membranes (FEBS 08437) *C.J. Lazdunski, H. Benedetti* 408

Novel features of retroviruses associated with human diseases (FEBS 08639) *P. Chandra, T. Gerber, A. Chandra* 415

Nitrogen fixation genes involved in the *Bradyrhizobium japonicum*–soybean symbiosis (FEBS 08635) *H. Hennecke* 422

Regulation of plant gene expression by antisense RNA (FEBS 08632) *J.N.M. Mol, A.R. van der Krol, A.J. van Tonen, R. van Blokland, P. de Lange, A.R. Stuitje* 427

Book Reviews 431

Author Index 441

Contents to volume 268 446

Notes to Authors 449

FEBS News 451